Brain Research, 565 (1991) 358–359
Elsevier
ADONIS 0006899391

Author Index

Adams, R.N., see Cammack, J., 17
Agid, Y., see Holemans, S., 154
Allix, M., see Lekieffre, D., 353
Arisawa, T., see Sakai, K., 167
Asari, S., see Sakai, K., 167
Attal, N., see Neil, A., 237
Axelrad, H., see Bernard, C., 195

Baker, M.T., see Ridenour, T.R., 116
Barber, N.A., see Reynolds, D.J.M., 231
Barlow, S.M., Modulation of mechanically evoked perioral reflexes during active force, 330
Barth, D.S. and Di, S., The functional anatomy of middle latency auditory evoked potentials, 109
Berkley, K.J., see Monti-Graziadei, A.G., 162
Bernard, C. and Axelrad, H., Propagation of parallel fiber volleys in the cerebellar cortex: a computer simulation, 195
Blaustein, J.D., see Tetel, M.J., 321
Boer, H.H., see Kerkhoven, R.M., 8
Bogerd, J., see Kerkhoven, R.M., 8
Bongianni, F., Corda, M., Fontana, G.A. and Pantaleo, T., Reciprocal connections between rostral ventrolateral medulla and inspiration-related medullary areas in the cat, 171
Bothwell, M.A., see Vickland, H., 269
Boulu, R.G., see Lekieffre, D., 353
Bowen, D.M., see Chessell, I.P., 345
Braquet, P., see Demerlé-Pallardy, C., 312
Braquet, P., see Demerlé-Pallardy, C., 312
Brown, A.M. and McCrohan, C.R., Differential responses of two identified neurons of the pond snail *Lymnaea stagnalis* to the convulsant drug pentylenetetrazol, 247
Bruce, E.N., see Romaniuk, J.R., 148
Byrne, J.A. and Calford, M.B., Short-term expansion of receptive fields in rat primary somatosensory cortex after hindpaw digit denervation, 218

Calford, M.B., see Byrne, J.A., 218
Callebert, J., see Lekieffre, D., 353
Cammack, J., Ghasemzadeh, B. and Adams, R.N., The pharmacological profile of glutamate-evoked ascorbic acid efflux measured by in vivo electrochemistry, 17
Campeau, S., Hayward, M.D., Hope, B.T., Rosen, J.B., Nestler, .J. and Davis, M., Induction of the c-*fos* proto-oncogene in rat amygdala during unconditioned and conditioned fear, 349
Candy, J.M., see Piggott, M.A., 42
Cannone, A.J., see Wildman, M.H., 175
Carlebach, R., see Lemmer, B., 225
Carlton, S.M., see Garrison, C.J., 1
Castaño, E.M., see Kuruvilla, A.P., 337
Cespuglio, R., see Houdouin, F., 48
Chen, C.-W., Chen, Y.-F., Meng, Q.C., Wyss, J.M. and Oparil, S., Decreased norepinephrine release in anterior hypothalamus of NaCl-sensitive spontaneously hypertensive rats during high NaCl intake, 135
Chen, Y.-F., see Chen, C.-W., 135
Chessell, I.P., Procter, A.W., Francis, P.T. and Bowen, D.M., D-Cycloserine, a putative cognitive enhancer, facilitates activation of the *N*-methyl-D-aspartate receptor–ionophore complex in Alzheimer brain, 345
Corda, M., see Bongianni, F., 171
Croll, R.P., see Kerkhoven, R.M., 8

Date, I., see Sakai, K., 167
Davis, M., see Campeau, S., 349
Demerlé-Pallardy, C., Duverger, D., Spinnewyn, B., Pirotzky, E. and Braquet, P., Peripheral type benzodiazepine binding sites following transient forebrain ischemia in the rat: effect of neuroprotective drugs, 312
Demerlé-Pallardy, C., Duverger, D., Spinnewyn, B., Pirotzky, E. and Braquet, P., Peripheral type benzodiazepine binding sites following transient forebrain ischemia in the rat: effect of neuroprotective drugs, 312
Di, S., see Barth, D.S., 109
Dougherty, P.M., see Garrison, C.J., 1
Duvdevani, R., see Sautter, J., 23
Duverger, D., see Demerlé-Pallardy, C., 312
Duverger, D., see Demerlé-Pallardy, C., 312

Ebert, U. and Ostwald, J., The mesencephalic locomotor region is activated during the auditory startle response of the unrestrained rat, 209

Fontana, G.A., see Bongianni, F., 171
Francis, P.T., see Chessell, I.P., 345
Frangione, B., see Kuruvilla, A.P., 337
Furuta, T., see Sakai, K., 167

Garrison, C.J., Dougherty, P.M., Kajander, K.C. and Carlton, S.M., Staining of glial fibrillary acidic protein (GFAP) in lumbar spinal cord increases following a sciatic nerve constriction injury, 1
Gee, K.W., see Wieland, S., 263
Ghasemzadeh, B., see Cammack, J., 17
Ghiso, J., see Kuruvilla, A.P., 337
Gillette, M.U., see McArthur, A.J., 158
Glenn, B., see Stoessl, A.J., 254
Godin, C., see Rochford, J., 67
Grahame-Smith, D.G., see Reynolds, D.J.M., 231
Guilbaud, G., see Neil, A., 237
Guth, P., see Ricci, A., 78

Hayward, M.D., see Campeau, S., 349
Henry, J.L., see Rochford, J., 67
Henteleff, M., see Messing, R.O., 301
Hochwald, G.M., see Kuruvilla, A.P., 337
Holemans, S., Javoy-Agid, F., Agid, Y., Laterre, E.C. and Maloteaux, J.-M., [^{3}H]MK-801 binding to NMDA glutamatergic receptors in Parkinson's disease and progressive supranuclear palsy, 154
Hope, B.T., see Campeau, S., 349
Houdouin, F., Cespuglio, R. and Jouvet, M., Effects induced by the electrical stimulation of the nucleus raphe dorsalis upon hypothalamic release of 5-hydroxyindole compounds and sleep parameters in the rat, 48

Jakab, R.L. and Leranth, C., Synaptology and origin of somatostatin fibers in the rat lateral septal area: convergent somatostatinergic and hippocampal inputs of somatospiny neurons, 123
Javoy-Agid, F., see Holemans, S., 154
Jouvet, M., see Houdouin, F., 48

Kajander, K.C., see Garrison, C.J., 1
Kalichman, M.W. and Lalonde, A.W., Experimental nerve ischemia and injury produced by cocaine and procaine, 34
Kameda, N., see Park-Matsumoto, Y.C., 280
Kennedy, W.R., see Navarro, X., 181
Kerkhoven, R.M., Croll, R.P., Van Minnen, J., Bogerd, J., Ramkema, M.D., Lodder, H. and Boer, H.H., Axonal mapping of the giant peptidergic neurons VD_1 and RPD_2 located in the CNS of the pond snail *Lymnaea stagnalis*, with particular reference to the innervation of the auricle of the heart, 8
Kobayashi, T., see Park-Matsumoto, Y.C., 280
Konishi, T., Potassium channel-dependent changes in the volume of developing mouse Schwann cells, 57
Koivisto, E., see Riekkinen Jr., P., 341
Kott, J.N., see Vickland, H., 269
Kuruvilla, A.P., Hochwald, G.M., Ghiso, J., Castaño, E.M., Pizzolato, M. and Frangione, B., Isolation and amino terminal sequence of β-trace, a novel protein from human cerebrospinal fluid, 337

Lalonde, A.W., see Kalichman, M.W., 34
Lan, N.C., see Wieland, S., 263
Laterre, E.C., see Holemans, S., 154
Lekieffre, D., Callebert, J., Plotkine, M., Allix, M. and Boulu, R.G., Enhancement of endogenous excitatory amino acids by theophylline does not modify

the behavioral and histological consequences of forebrain ischemia, 353
Lemmer, B., Carlebach, R., Stiller, M., Ohm, T.G. and Nitsch, R., Dose-dependent stimulation of adenylate cyclase in rat hippocampal tissue by isoprenaline, Gpp(NH)p and forskolin: lack of circadian phase-dependency, 225
Leranth, C., see Jakab, R.L., 123
Leslie, R.A., see Reynolds, D.J.M., 231
Lodder, H., see Kerkhoven, R.M., 8
Lookingland, K.J., see Manzanares, J., 142

Maloteaux, J.-M., see Holemans, S., 154
Manzanares, J., Toney, T.W., Lookingland, K.J. and Moore, K.E., Activation of tuberoinfundibular and tuberohypophysial dopamine neurons following intracerebroventricular administration of bombesin, 142
Mattson, M.P., Wang, H. and Michaelis, E.K., Developmental expression, compartmentalization, and possible role in excitotoxicity of a putative NMDA receptor protein in cultured hippocampal neurons, 94
McArthur, A.J., Gillette, M.U. and Prosser, R.A., Melatonin directly resets the rat suprachiasmatic circadian clock in vitro, 158
McCrohan, C.R., see Brown, A.M., 247
Meng, Q.C., see Chen, C.-W., 135
Messing, R.O., Henteleff, M. and Park, J.J., Ethanol enhances growth factor-induced neurite formation in PC12 cells, 301
Michaelis, E.K., see Mattson, M.P., 94
Mirasedeghi, S., see Wieland, S., 263
Monti-Graziadei, A.G. and Berkley, K.J., Effects of colchicine on retrogradely-transported WGA–HRP, 162
Moore, K.E., see Manzanares, J., 142

Nakashima, H., see Sakai, K., 167
Navarro, X. and Kennedy, W.R., The effects of autologous nerve transplants on motor and sudomotor reinnervation by regenerative axons, 181
Neil, A., Attal, N. and Guilbaud, G., Effects of guanethidine on sensitization to natural stimuli and self-mutilating behaviour in rats with a peripheral neuropathy, 237
Nestler, .J., see Campeau, S., 349
Nitsch, R., see Lemmer, B., 225
Noriega, A.L. and Wall, J.T., Parcellated organization in the trigeminal and dorsal column nuclei of primates, 188
Norris, C., see Ricci, A., 78

Ohm, T.G., see Lemmer, B., 225
Ohmoto, T., see Sakai, K., 167
Oparil, S., see Chen, C.-W., 135
Ostwald, J., see Ebert, U., 209

Pantaleo, T., see Bongianni, F., 171
Park, J.J., see Messing, R.O., 301
Park-Matsumoto, Y.C., Kameda, N., Kobayashi, T. and Tsukagoshi, H., Developmental study of the expression of dystrophin in cultured human muscle aneurally and innervated with fetal rat spinal cord, 280
Patterson, S.L., see Vickland, H., 269
Perry, R.H., see Piggott, M.A., 42
Piggott, M.A., Candy, J.M. and Perry, R.H., [^{3}H]Nitrendipine binding in temporal cortex in Alzheimer's and Huntington's diseases, 42
Pirotzky, E., see Demerlé-Pallardy, C., 312
Pirotzky, E., see Demerlé-Pallardy, C., 312
Pizzolato, M., see Kuruvilla, A.P., 337
Plotkine, M., see Lekieffre, D., 353
Procter, A.W., see Chessell, I.P., 345
Prosser, R.A., see McArthur, A.J., 158

Ramkema, M.D., see Kerkhoven, R.M., 8
Reynolds, D.J.M., Barber, N.A., Grahame-Smith, D.G. and Leslie, R.A., Cisplatin-evoked induction of c-*fos* protein in the brainstem of the ferret: the effect of cervical vagotomy and the antiemetic 5-HT$_3$ receptor antagonist granisetron (BRL 43694), 231
Ricci, A., Norris, C. and Guth, P., Cyclic AMP modulates sensory-neural communication at the vestibular end organ, 78
Ridenour, T.R., Warner, D.S., Todd, M.M. and Baker, M.T., Effects of ketamine on outcome from temporary middle cerebral artery occlusion in the spontaneously hypertensive rat, 116
Riekkinen Jr., P., Sirviö, J., Riekkinenm M., Valjakka, A., Koivisto, E. and Riekkinen, P., Gammavinylgaba increases high voltage spindle activity in control and nucleus basalis-lesioned rats after sub-chronic treatment 341
Riekkinen, M., see Riekkinen Jr., P., 341
Riekkinen, P., see Riekkinen Jr., P., 341
Rochford, J., Godin, C. and Henry, J.L., Intrathecal administration of dynorphin A and its fragments increase heart rate and arterial pressure in the urethane anesthetized rat: mediation by a nonopioid mechanism, 67
Romaniuk, J.R. and Bruce, E.N., The role of midline ventral medullary structures in generation of respiratory motor high frequency oscillations, 148
Rosen, J.B., see Campeau, S., 349

Sabel, B.A., see Sautter, J., 23
Sakai, K., Date, I., Yoshimoto, Y., Arisawa, T., Nakashima, H., Furuta, T., Asari, S. and Ohmoto, T., The effect of a new immunosuppressive agent, FK-506, on xenogeneic neural transplantation in rodents, 167
Sautter, J., Schwartz, M., Duvdevani, R. and Sabel, B.A., GM1 ganglioside treatment reduces visual deficits after graded crush of the rat optic nerve, 23
Schuh, S.M., Spencer, S. and Willard, M.B., Production of the neuronal growth-associated protein GAP-43 in a bacterial expression system, 85
Schwartz, M., see Sautter, J., 23
Sirviö, J., see Riekkinen Jr., P., 341
Spencer, S., see Schuh, S.M., 85
Spinnewyn, B., see Demerlé-Pallardy, C., 312
Spinnewyn, B., see Demerlé-Pallardy, C., 312
Stiller, M., see Lemmer, B., 225
Stoessl, A.J., Szczutkowski, E., Glenn, B. and Watson, I., Behavioural effects of selective tachykinin agonists in midbrain dopamine regions, 254
Stuesse, S.L., see Zeng, D., 290
Szczutkowski, E., see Stoessl, A.J., 254

Tetel, M.J. and Blaustein, J.D., Immunocytochemical evidence for noradrenergic regulation of estrogen receptor concentrations in the guinea pig hypothalamus, 321
Todd, M.M., see Ridenour, T.R., 116
Toney, T.W., see Manzanares, J., 142
Tsukagoshi, H., see Park-Matsumoto, Y.C., 280

Valjakka, A., see Riekkinen Jr., P., 341
Van Minnen, J., see Kerkhoven, R.M., 8
Vickland, H., Westrum, L.E., Kott, J.N., Patterson, S.L. and Bothwell, M.A., Nerve growth factor receptor expression in the young and adult rat olfactory system, 269

Wall, J.T., see Noriega, A.L., 188
Wang, H., see Mattson, M.P., 94
Warner, D.S., see Ridenour, T.R., 116
Watson, I., see Stoessl, A.J., 254
Westrum, L.E., see Vickland, H., 269
Wieland, S., Lan, N.C., Mirasedeghi, S. and Gee, K.W., Anxiolytic activity of the progesterone metabolite 5α-pregnan-3α-ol-20-one, 263
Wildman, M.H. and Cannone, A.J., Interaction between afferent neurones in a crab muscle receptor organ, 175
Willard, M.B., see Schuh, S.M., 85
Wyss, J.M., see Chen, C.-W., 135

Yoshimoto, Y., see Sakai, K., 167

Zeng, D. and Stuesse, S.L., Morphological heterogeneity within the cingulate cortex in rat: a horseradish peroxidase transport study, 290